

# FROSTY, 3 BOWLS, MECHANICAL CONTROL



**Ref: 562483**  
**(FROSTY3NEW)**

SLUSH MACHINE FROSTY 3 STD 230/50 BLACK - GAS R290

## General Features

FROSTY is the ideal slushy machine for those who want large-sized equipment with high performance, but with a low investment budget.

FROSTY 3 is the equipment for the production and dispensing of slushie, sorbets and other frozen specialties, with n. 3 tanks with a capacity of 12 litres each.

Tanks work independently and are illuminated with a LED lighting system, for a strong appeal to the consumer, and encouraging impulse purchases.

FROSTY has a double mixing system prevents ice accumulation, for optimum product consistency.

This slush machine has a manual control keypad, to turn on/off the lights and set the "production" mode and the "night" mode"

# FROSTY, 3 BOWLS, MECHANICAL CONTROL

## Specifications

- It is possible to customize the graphics on the front, on the lid and on the back (subject to negotiation).
- Safety stop system.
- Tanks work independently.
- Equipped with a LED lighting system to enhance product visibility, for a strong attraction effect, and to stimulate impulse purchases.
- Lockable lid
- Perfect for dispensing granitas, sorbets and other frozen specialties.
- The mechanical control allows you to manually set the start the "production mode" and the "night mode" and turn on/off the LED-lights.

## Construction

- Double mixing system to guarantee a perfect consistency of the dispensed product.
- Slushy machine, equipped with 3x12-litres tanks

# FROSTY, 3 BOWLS, MECHANICAL CONTROL

## Electric

|                        |                          |
|------------------------|--------------------------|
| Supply voltage:        | 220-240 V / 1 ph / 50 Hz |
| Electrical power max.: | 1.1 kW                   |
| Current consumption:   | 6.25 Amps                |
| Plug type:             | CE-SCHUKO                |

## Key Information:

|                     |            |
|---------------------|------------|
| Number of bowls:    | 3          |
| Bowl's capacity:    | 12 lt      |
| Control board:      | Mechanical |
| Dimensions, Width:  | 600 mm     |
| Dimensions, Depth:  | 555 mm     |
| Dimensions, Height: | 825 mm     |
| Net weight:         | 71 kg      |
| Cooling system:     | AIR        |

## Refrigeration Data

|                  |      |
|------------------|------|
| Refrigerant gas: | R290 |
|------------------|------|


## Certifications




The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.08.24


Front



Side



Other



# SPM

[www.spm.drink-systems.com](http://www.spm.drink-systems.com)  
[infospm@electroluxprofessional.com](mailto:infospm@electroluxprofessional.com)